

SHINGLES

CertainTeed

Quality made certain. Satisfaction guaranteed.

LANDMARK SPECIFICATIONS STANDARD - 30 YEAR

- Two-piece laminated fiber glass-based construction
- Classic shades and dimensional appearance of natural wood or slate
- 250 lbs. per square
- UL Class A fire resistance rating
- UL certified to meet ASTM D3462
- UL certified to meet ASTM D3018 Type I
- Conforms to CSA standard A123.5

For U.S. building code compliance, see product specification sheets.



LANDMARK PREMIUM SPECIFICATIONS UPGRADE - LIFETIME

- Two-piece laminated fiber glass-based construction
- Classic shades and dimensional appearance of natural wood or slate
- 300 lbs. per square
- UL Class A fire resistance rating
- UL certified to meet ASTM D3462
- UL certified to meet ASTM D3018 Type I
- Conforms to CSA standard A123.5

For U.S. building code compliance, see product specification sheets.










RATED #1 BY BUILDING & RENOVATING PROFESSIONALS

LANDMARK SPECIFICATIONS STANDARD - 30 YEAR

- Two-piece laminated fiber glass-based construction
- Classic shades and dimensional appearance of natural wood or slate
- 250 lbs. per square
- UL Class A fire resistance rating
- UL certified to meet ASTM D3462
- UL certified to meet ASTM D3018 Type I
- Conforms to CSA standard A123.5

For U.S. building code compliance, see product specification sheets.



LANDMARK PREMIUM SPECIFICATIONS UPGRADE - LIFETIME

- Two-piece laminated fiber glass-based construction
- Classic shades and dimensional appearance of natural wood or slate
- 300 lbs. per square
- UL Class A fire resistance rating
- UL certified to meet ASTM D3462
- UL certified to meet ASTM D3018 Type I
- Conforms to CSA standard A123.5

For U.S. building code compliance, see product specification sheets.

